

**Amendments to the Claims:**

Please amend the claims as follows:

1. (original) A nasal dispensing nozzle for use with a fluid medicament discharge pump device having a discharge outlet for discharge of pumped fluid medicament, the nasal dispensing nozzle comprising

a body defining a fluid flow channel;

an inlet port defining an inlet to said channel, said inlet port shaped for receipt of said discharge outlet to enable delivery of said pumped fluid medicament to the channel; and

an outlet port defining an outlet from said channel, said outlet port shaped for insertion into the nasal cavity of a user to enable delivery of the pumped fluid medicament thereto,

wherein a screw thread path is provided to the channel between the inlet and said outlet to impart angular momentum to the pumped fluid medicament.

2. (original) A nasal dispensing nozzle according to claim 1, wherein the body further defines a hollow chamber locating between the screw thread path and the outlet port.

3. (previously presented) A nasal dispensing nozzle according to claim 1, wherein the screw thread path defines at least three complete screw turns.

4. (previously presented) A nasal dispensing nozzle according to claim 1, wherein the screw thread path extends in symmetric fashion about a screw thread axis.

5. (original) A nasal dispensing nozzle according to claim 4, wherein the screw thread axis corresponds to the pumping axis of the fluid medicament discharge pump device.
6. (previously presented) A nasal dispensing nozzle according to claim 4, wherein the fluid flow channel is symmetric about the screw thread axis.
7. (previously presented) A nasal dispensing nozzle according to claim 4, wherein the body of the nozzle is symmetric about the screw thread axis.
8. (previously presented) A nasal dispensing nozzle according to claim 1, wherein the screw thread path comprises plural screw threaded pathways.
9. (original) A nasal dispensing nozzle according to claim 8, wherein each screw threaded pathway is arranged about a common screw thread axis.
10. (previously presented) A nasal dispensing nozzle according to claim 8, wherein the screw thread path comprises from two to eight screw threaded pathways.
11. (previously presented) A nasal dispensing nozzle according to claim 1, wherein the screw thread path is defined as an enclosed volume by the body of the nozzle and one or more inserts provided thereto.
12. (original) A nasal dispensing nozzle according to claim 11, wherein the body defines a generally cylindrical channel having smooth walls and the body snugly receives a cylindrical insert having a screw thread surface.
13. (original) A nasal dispensing nozzle according to claim 11, wherein the body defines a generally cylindrical channel and has a screw thread surface defined therein and the body snugly receives a cylindrical insert having smooth walls.

14. (original) A nasal dispensing nozzle according to claim 11, wherein the body defines a generally cylindrical channel and has a screw thread surface defined therein and the body snugly receives a cylindrical insert having a mating screw thread surface.
15. (previously presented) A nasal dispensing nozzle according to claim 1 wherein the screw thread path decreases in cross-sectional area from the entrance to the exit thereto.
16. (original) A nasal dispensing nozzle according to claim 15, wherein the depth of the screw thread path progressively reduces from the entrance to the exit.
17. (previously presented) A nasal dispensing nozzle according to claim 15, wherein the width of the screw thread path progressively reduces from the entrance to the exit.
18. (previously presented) A nasal dispensing nozzle according to claim 15, wherein the pitch of the screw thread path progressively reduces from the entrance to the exit.
19. (previously presented) A nasal dispensing nozzle according to claim 15, wherein the screw thread path has a tapered profile.
20. (previously presented) A nasal dispensing nozzle according to claim 1, wherein the outlet port is provided with a reversible stopper.
21. (previously presented) A housing assembly for reversible receipt of a fluid medicament discharge pump device for spraying a fluid medicament into a nasal cavity, the housing assembly comprising a body defining a cavity; and engageable with said body, a dispensing nozzle according to claim 1.

22. (original) A fluid medicament dispensing device comprising a housing assembly according to claim 21 and received thereby, a fluid medicament discharge pump device.

23. (original) A fluid medicament dispensing device according to claim 22, wherein the fluid medicament discharge pump device comprises a hollow casing defining a reservoir for containing a volume of fluid medicament and a pump having a suction inlet extending within the hollow casing, the pump having a discharge outlet extending from a first end of the hollow casing for co-operation with the dispensing nozzle to enable pumped delivery of fluid from the reservoir to the dispensing nozzle.

24. (previously presented) A fluid medicament dispensing device according to claim 22, wherein said reservoir contains a volume of fluid medicament formulation.

25. (canceled)

26. (canceled)

27. (canceled)

28. (canceled)

29. (canceled)

30. (canceled)

31. (original) A kit of parts comprising a housing assembly according to claim 20 and a fluid medicament discharge pump device receivable thereby.